



MULTIPOLE CONNECTORS

"Your Best Connection"

The ConTek range of industrial, heavy duty connectors, cover everything from 3p + E up to 216 pin + earth.

This ConTek catalogue has been put together as a short form to present the standard common range of connectors used in the market.


ConTek also now have HM modular series of connectors, which can take electric as well as pneumatic in the one plug.

Should you wish to purchase other types or styles of connectors which aren't shown in this shortform catalogue, then please contact our sales staff.

An all new combination part number system has been included in this catalogue to make it easier for customers to order full sets of connectors.

Each page line includes photos and part numbers of female and male inserts, plus bases and hoods in different combinations. When the combination part number is ordered, then you receive the 4 individual items that make up the complete connector assembly.

Combination Example



All photos in this catalogue are used only for illustration purposes and may vary from products depicted.

© Copyright Eltech Industries - 2008. This publication is copyright. Other than for the purpose of and subject to the conditions prescribed under the copyright act, no part of it may in any form or by any means be reproduced, stored in a retrieval system or transmitted without prior written permission of Eltech Industries.



SCREW CLAMP CONNECTORS

3 PIN + EARTH 10 AMP – 250 VOLT	4
4 PIN + EARTH 10 AMP – 250 VOLT	5
5 PIN + EARTH 10 AMP – 250 VOLT	6



CRIMP CONNECTORS

7 PIN + EARTH 10 AMP – 250 VOLT	7
---------------------------------	---



COMPACT CONNECTORS

10 PIN – 16 AMP – 250 VOLT	8
16 PIN – 16 AMP – 250 VOLT	9
32 PIN – 16 AMP – 250 VOLT	10



SCREW CLAMP CONNECTORS

6 PIN - 16 AMPS - 400 VOLTS	11
10 PIN - 16 AMPS - 400 VOLTS	12
16 PIN - 16 AMPS - 400 VOLTS	14
24 PIN - 16 AMPS - 400 VOLTS	16
32 PIN - 16 AMPS - 400 VOLTS	18
48 PIN - 16 AMPS - 400 VOLTS	20
6 PIN + EARTH 35 AMPS - 690/400 VOLTS	21
4 PIN + EARTH 80 AMPS - 690/400 VOLTS	23



CABLE GLANDS & THREAD ADAPTORS/REDUCERS

25

SCREW CLAMP CONNECTORS

3 PIN + EARTH 10 AMP – 250 VOLT SCREW CLAMP CONNECTOR

COMBINATION




HA-03-M
Male insert



HA-03-F
Female insert



HA-30H
Open Housing



HA-3SEH
Side entry hood M20

COM-0301



HA-03-M
Male insert



HA-03-F
Female insert



HA-30H
Open Housing



HA-3TEH
Top entry hood M20

COM-0302




HA-03-M
Male insert



HA-03-F
Female insert



HA-3AH
Angled Housing



HA-3SEH
Side entry hood M20

COM-0303



HA-03-M
Male insert



HA-03-F
Female insert



HA-3AH
Angled Housing



HA-3TEH
Top entry hood M20

COM-0304



HA-03-M
Male insert



HA-03-F
Female insert



HA-3CH
Closed Housing



HA-3SEH
Side entry hood M20

COM-0305



HA-03-M
Male insert



HA-03-F
Female insert



HA-3CH
Closed Housing



HA-3TEH
Top entry hood M20

COM-0306



HA-3TEHL
Coupling Hood

TECHNICAL DATA

CURRENT RATING:	10AMP
VOLTAGE RATING:	230/250V
FLAMMABILITY ACC TO VOL 94:	VO
PROTECTING RATING:	IP65
TERMINAL TYPE:	SCREW
WIRE GAUGE:	0.5-2.5mm

4 PIN + EARTH 10 AMP – 250 VOLT SCREW CLAMP CONNECTOR

COMBINATION




HA-04-M
Male insert



HA-04-F
Female insert



HA-30H
Open housing



HA-3SEH
Side entry hood M20

COM-0401



HA-04-M
Male insert



HA-04-F
Female insert



HA-30H
Open housing



HA-3TEH
Top entry hood M20

COM-0402



HA-04-M
Male insert



HA-04-F
Female insert



HA-3AH
Angles housing



HA-3SEH
Side entry hood M20

COM-0403



HA-04-M
Male insert



HA-04-F
Female insert



HA-3AH
Angled housing



HA-3TEH
Top entry hood M20

COM-0404



HA-04-M
Male insert



HA-04F
Female insert



HA-3CH
Closed housing M20



HA-3SEH
Side entry hood M20

COM-0405



HA-04M
Male insert



HA-04F
Female insert



HA-3CH
Closed housing M20



HA-3TEH
Side entry hood M20

COM-0406



HA-3TEHL
Coupling Hood

TECHNICAL DATA

CURRENT RATING:	10AMP
VOLTAGE RATING:	230/250V
FLAMMABILITY ACC TO VOL 94:	VO
PROTECTING RATING:	IP65
TERMINAL TYPE:	SCREW
WIRE GAUGE:	0.5-2.5mm

SCREW CLAMP CONNECTORS

5 PIN + EARTH 10 AMP – 250 VOLT SCREW CLAMP CONNECTOR

COMBINATION



HA-05-M
Male insert



HA-05-F
Female insert



HA-30H
Open Housing



HA-3SEH
Side entry hood M20

COM-0501



HA-05-M
Male insert



HA-05-F
Female insert



HA-30H
Open housing



HA-3TEH
Side entry hood M20

COM-0502




HA-05-M
Male insert



HA-05-F
Female insert



HA-3AH
Angled housing



HA-3SEH
Side entry hood M20

COM-0503



HA-05-M
Male insert



HA-05-F
Female insert



HA-3AH
Angled housing



HA-3TEH
Top entry hood M20

COM-0504



HA-05-M
Male insert



HA-05-F
Female insert



HA-3CH
Closed housing M20



HA-3SEH
Side entry hood M20

COM-0505



HA-05-M
Male insert



HA-05-F
Female insert



HA-3CH
Closed housing M20



HA-3TEH
Side entry hood M20

COM-0506



























HA-3TEHL
Coupling Hood


TECHNICAL DATA

CURRENT RATING:	16AMP
VOLTAGE RATING:	400V
PROTECTION RATING:	IP65
TERMINAL TYPE:	SCREW
WIRE GAUGE:	0.5-2.5mm

7 PIN + EARTH 10 AMP – 250 VOLT CRIMP CONNECTOR

COMBINATION

				COM-0701
HA-07-M Male insert	HA-07-F Female insert	HA-30H Open Housing	HA-3SEH Side entry hood M20	
				COM-0702
HA-07-M Male insert	HA-07-F Female insert	HA-30H Open housing	HA-3TEH Top entry hood M20	
				COM-0703
HA-07-M Male insert	HA-07-F Female insert	HA-3AH Angled housing	HA-3SEH Side entry hood M20	
				COM-0704
HA-07-M Male insert	HA-07-F Female insert	HA-3AH Angled housing	HA-3TEH Top entry hood M20	
				COM-0705
HA-07-M Male insert	HA-07-F Female insert	HA-3CH Closed housing M20	HA-3SEH Side entry hood M20	
				COM-0706
HA-07-M Male insert	HA-07-F Female insert	HA-3CH Closed housing M20	HA-3TEH Top entry hood M20	



CRIMP CONTACTS, silver plated

MALE:	FEMALE	WIRE GAUGE:
CDM0.5	CDF0.5	0.5mm
CDM0.75	CDF0.75	0.75mm
CDM1.0	CD1.0	1.0mm
CDM1.5	CDF1.5	1.5mm
CDM2.5	CDF2.5	2.5mm

TECHNICAL DATA

CURRENT RATING:	10AMP
VOLTAGE RATING:	250V
PROTECTION RATING:	IP65
TERMINAL TYPE:	CRIMP
WIRE GAUGE:	0.5-2.5mm

COMPACT CONNECTORS

10 PIN – 16 AMP – 250 VOLT – COMPACT

COMBINATION



HA-10-M
Male insert



HA-10-F
Female insert



H10A-OH
Open housing



H10A-SEH
Side entry hood M20

COM-1025-1



HA-10-M
Male insert



HA-10-F
Female insert



H10A-OH
Open housing



H10A-TEH
Top entry hood M20

COM-1025-2



HA-10-M
Male insert



HA-10-F
Female insert



H10A-OHC
Open housing & cover



H10A-SEH
Side entry hood M20

COM-1025-3



HA-10-M
Male insert



HA-10-F
Female insert



H10A-OHC
Open housing & cover



H10A-TEH
Top entry hood M20

COM-1025-4



HA-10-M
Male insert



HA-10-F
Female insert



H10A-CH
Closed housing M20



H10A-SEH
Side entry hood M20

COM-1025-5



HA-10-M
Male insert



HA-10-F
Female insert



H10A-CH
Closed housing M20



H10A-TEH
Top entry hood M20

COM-1025-6



HA-10-M
Male insert



HA-10-F
Female insert



H10A-CHC
Closed housing & cover M20



H10A-SEH
Side entry hood M20

COM-1025-7



HA-10-M
Male insert



HA-10-F
Female insert



H10A-CHC
Closed housing & cover M20



H10A-TEH
Top entry hood M20

COM-1025-8



HA-10-COV
Cover

TECHNICAL DATA

CURRENT RATING:	16A
VOLTAGE RATING:	250V
PROTECTION RATING:	IP65
TERMINAL TYPE:	SCREW
WIRE GAUGE:	0.5-2.5mm

16 PIN – 16 AMP – 250 VOLT – COMPACT

COMBINATION



HA-16-M
Male insert



HA-16-F
Female insert



H16A-OH
Open housing



H16A-SEH
Side entry hood M20

COM-1625-1



HA-16-M
Male insert



HA-16-F
Female insert



H16A-OH
Open housing



H16A-TEH
Top entry hood M20

COM-1625-2



HA-16-M
Male insert



HA-16-F
Female insert



H16A-OHC
Open housing & cover



H16A-SEH
Side entry hood M20

COM-1625-3



HA-16-M
Male insert



HA-16-F
Female insert



H16A-OHC
Open housing & cover



H16A-TEH
Top entry hood M20

COM-1625-4



HA-16-M
Male insert



HA-16-F
Female insert



H16A-CH
Closed housing M20



H16A-SEH
Side entry hood M20

COM-1625-5



HA-16-M
Male insert



HA-16-F
Female insert



H16A-CH
Closed housing M20



H16A-TEH
Top entry hood M20

COM-1625-6



HA-16-M
Male insert



HA-16-F
Female insert



H16A-CHC
Closed housing & cover M20



H16A-SEH
Side entry hood M20

COM-1625-7



HA-16-M
Male insert



HA-16-F
Female insert



H16A-CHC
Closed housing & cover M20



HA16A-TEH
Top entry hood M20

COM-1625-8



HA-16-COV
Cover

TECHNICAL DATA

CURRENT RATING:	16A
VOLTAGE RATING:	250V
PROTECTION RATING:	IP65
TERMINAL TYPE:	SCREW
WIRE GAUGE:	0.5-2.5mm


COMPACT CONNECTORS

32 PIN – 16 AMP – 250 VOLT – COMPACT

COMBINATION



HA-32-M
Male insert



HA-32-F
Female insert



H32A-OH
Open housing




H32A-SEH
Side entry hood M25

COM-3225-1



HA-32-M
Male insert



HA-32-F
Female insert



H32A-OH
Open housing




H32A-TEH
Top entry hood M25

COM-3225-2



HA-32-M
Male insert



HA-32-F
Female insert



H32A-CH
Closed housing M25




H32A-SEH
Side entry hood M25

COM-3225-3



HA-32-M
Male insert



HA-32-F
Female insert



H32A-CH
Closed housing M25



H32A-TEH
Top entry hood M25

COM-3225-4



HA-32-COV
Cover for housing

TECHNICAL DATA

CURRENT RATING:	16A
VOLTAGE RATING:	250V
PROTECTION RATING:	IP65
TERMINAL TYPE:	SCREW
WIRE GAUGE:	0.5-2.5mm

SCREW CLAMP CONNECTORS

6 PIN - 16 AMPS - 400 VOLTS - SCREW CLAMP CONNECTOR

COMBINATION



SI06
Female Insert



PI06
Male Insert



OH06L
Open Housing



SEH06
Side Entry Hood M20.

COM-0640-1



SI06
Female Insert



PI06
Male Insert



OH06L
Open Housing



TEH06
Top Entry Hood M20.

COM-0640-2



SI06
Female Insert



PI06
Male Insert



OH06LC
Open Housing + cover



SEH06
Side Entry Hood M20.

COM-0640-3



SI06
Female Insert



PI06
Male Insert



OH06LC
Open Housing + cover



TEH06
Top Entry Hood M20.

COM-0640-4



SI06
Female Insert



PI06
Male Insert



CH06L
Closed Housing 2 x M20



SEH06
Side Entry Hood M20.

COM-0640-5



SI06
Female Insert



PI06
Male Insert



CH06L
Closed Housing 2 x M20



TEH06
Top Entry Hood M20.

COM-0640-6



SI06
Female Insert



PI06
Male Insert



CH06LC
Closed Housing + cover M20



SEH06
Side Entry Hood M20.

COM-0640-7



SI06
Female Insert



PI06
Male Insert



CH06LC
Closed Housing + cover M20



TEH06
Top Entry Hood M20.

COM-0640-8



SI06
Female Insert



PI06
Male Insert



COH06L
Coupling Hood M20



TEH06
Top Entry Hood M20.

COM-0640-9

SCREW CLAMP CONNECTORS

10 PIN - 16 AMPS - 400 VOLTS - SCREW CLAMP CONNECTOR

COMBINATION



SI10
Female Insert



PI10
Male Insert



OH10
Open Housing



SEH10
Side Entry Hood M20.

COM-1040-1



SI10
Female Insert



PI10
Male Insert



OH10
Open Housing



TEH10
Top Entry Hood M20.

COM-1040-2



SI10
Female Insert



PI10
Male Insert



OH10C
Open Housing + Cover



SEH10L
Side Entry Hood M20.

COM-1040-3



SI10
Female Insert



PI10
Male Insert



OH10C
Open Housing + cover



TEH10L
Top Entry Hood M20.

COM-1040-4



SI10
Female Insert



PI10
Male Insert



CH10
Closed Housing 2 x M20



SEH10
Side Entry Hood M20.

COM-1040-5



SI10
Female Insert



PI10
Male Insert



CH10
Closed Housing 2 x M20



TEH10
Top Entry Hood M20.

COM-1040-6



SI10
Female Insert



PI10
Male Insert



CH10C
Closed Housing 2 x M20 + cover



SEH10L
Side Entry Hood M20.

COM-1040-7



SI10
Female Insert



PI10
Male Insert



CH10C
Closed Housing 2 x M20 + cover



TEH10L
Top Entry Hood M20.

COM-1040-8



SI10
Female Insert



PI10
Male Insert



OH10L
Open Housing + lever



SEH10P
Side Entry Hood M20.

COM-1040-9

SCREW CLAMP CONNECTORS

10 PIN - 16 AMPS - 400 VOLTS - SCREW CLAMP CONNECTOR

COMBINATION



SI10
Female Insert



PI10
Male Insert



OH10L
Open Housing + lever



TEH10P
Top Entry Hood M20.

COM-1040-10



SI10
Female Insert



PI10
Male Insert



OH10LC
Open Housing, lever + cover



SEH10P
Side Entry Hood M20.

COM-1040-11



SI10
Female Insert



PI10
Male Insert



OH10LC
Open Housing, lever + cover



TEH10P
Top Entry Hood M20.

COM-1040-12



SI10
Female Insert



PI10
Male Insert



CH10L
Closed Housing 2 x M20



SEH10P
Side Entry Hood M20.

COM-1040-13



SI10
Female Insert



PI10
Male Insert



CH10L
Closed Housing 2 x M20



TEH10P
Top Entry Hood M20.

COM-1040-14



SI10
Female Insert



PI10
Male Insert



CH10LC
Closed Housing 2 x M20 + cover



SEH10P
Side Entry Hood M20.

COM-1040-15



SI10
Female Insert



PI10
Male Insert



CH10LC
Closed Housing 2 x M20 + cover



TEH10P
Top Entry Hood M20.

COM-1040-16



SI10
Female Insert



PI10
Male Insert



COH10L
Coupling Hood x M20



TEH10
Top Entry Hood M20.

COM-1040-17

SCREW CLAMP CONNECTORS

16 PIN - 16 AMPS - 400 VOLTS - SCREW CLAMP CONNECTOR

COMBINATION



SI16
Female Insert



PI16
Male Insert



OH16
Open Housing



SEH16
Side Entry Hood M25.

COM-1640-1



SI16
Female Insert



PI16
Male Insert



OH16
Open Housing



TEH16
Top Entry Hood M25.

COM-1640-2



SI16
Female Insert



PI16
Male Insert



OH16C
Open Housing + Cover



SEH16L
Side Entry Hood M25.

COM-1640-3



SI16
Female Insert



PI16
Male Insert



OH16C
Open Housing + cover



TEH16L
Top Entry Hood M25.

COM-1640-4



SI16
Female Insert



PI16
Male Insert



CH16
Closed Housing 2 x M25



SEH16
Side Entry Hood M25.

COM-1640-5



SI16
Female Insert



PI16
Male Insert



CH16
Closed Housing 2 x M25



TEH16
Top Entry Hood M25.

COM-1640-6



SI16
Female Insert



PI16
Male Insert



CH16C
Closed Housing 2 x M25 + cover



SEH16L
Side Entry Hood M25.

COM-1640-7



SI16
Female Insert



PI16
Male Insert



CH16C
Closed Housing 2 x M25 + cover



TEH16L
Top Entry Hood M25.

COM-1640-8



SI16
Female Insert



PI16
Male Insert



OH16L
Open Housing + lever



SEH16P
Side Entry Hood M25.

COM-1640-9

SCREW CLAMP CONNECTORS

16 PIN - 16 AMPS - 400 VOLTS - SCREW CLAMP CONNECTOR

COMBINATION



SI16
Female Insert



PI16
Male Insert



OH16L
Open Housing + lever



TEH16P
Top Entry Hood M25.

COM-1640-10



SI16
Female Insert



PI16
Male Insert



OH16LC
Open Housing, lever + cover



SEH16P
Side Entry Hood M25.

COM-1640-11



SI16
Female Insert



PI16
Male Insert



OH16LC
Open Housing, lever + cover



TEH16P
Top Entry Hood M25.

COM-1640-12



SI16
Female Insert



PI16
Male Insert



CH16L
Closed Housing 2 x M25



SEH16P
Side Entry Hood M25.

COM-1640-13



SI16
Female Insert



PI16
Male Insert



CH16L
Closed Housing 2 x M25



TEH16P
Top Entry Hood M25.

COM-1640-14



SI16
Female Insert



PI16
Male Insert



CH16LC
Closed Housing 2 x M25 + cover



SEH16P
Side Entry Hood M25.

COM-1640-15



SI16
Female Insert



PI16
Male Insert



CH16LC
Closed Housing 2 x M25 + cover



TEH16P
Top Entry Hood M25.

COM-1640-16



SI16
Female Insert



PI16
Male Insert



COH16L
Coupling Hood x M25



TEH16
Top Entry Hood M25.

COM-1640-17

SCREW CLAMP CONNECTORS

24 PIN - 16 AMPS - 400 VOLTS - SCREW CLAMP CONNECTOR

COMBINATION



SI24
Female Insert



PI24
Male Insert



OH24
Open Housing



SEH24
Side Entry Hood M25.

COM-2440-1



SI24
Female Insert



PI24
Male Insert



OH24
Open Housing



TEH24
Top Entry Hood M25.

COM-2440-2



SI24
Female Insert



PI24
Male Insert



OH24C
Open Housing + Cover



SEH24L
Side Entry Hood M25.

COM-2440-3



SI24
Female Insert



PI24
Male Insert



OH24C
Open Housing + cover



TEH24L
Top Entry Hood M25.

COM-2440-4



SI24
Female Insert



PI24
Male Insert



CH24
Closed Housing 2 x M25



SEH24
Side Entry Hood M25.

COM-2440-5



SI24
Female Insert



PI24
Male Insert



CH24
Closed Housing 2 x M25



TEH24
Top Entry Hood M25.

COM-2440-6



SI24
Female Insert



PI24
Male Insert



CH24C
Closed Housing 2 x M25 + cover



SEH24L
Side Entry Hood M25.

COM-2440-7



SI24
Female Insert



PI24
Male Insert



CH24C
Closed Housing 2 x M25 + cover



TEH24L
Top Entry Hood M25.

COM-2440-8



SI24
Female Insert



PI24
Male Insert



OH24L
Open Housing + lever



SEH24P
Side Entry Hood M25.

COM-2440-9

SCREW CLAMP CONNECTORS

24 PIN - 16 AMPS - 400 VOLTS - SCREW CLAMP CONNECTOR

COMBINATION



SI24
Female Insert



PI24
Male Insert



OH24L
Open Housing + lever



TEH24P
Top Entry Hood M25.

COM-2440-10



SI24
Female Insert



PI24
Male Insert



OH24LC
Open Housing, lever + cover



SEH24P
Side Entry Hood M25.

COM-2440-11



SI24
Female Insert



PI24
Male Insert



OH24LC
Open Housing, lever + cover



TEH24P
Top Entry Hood M25.

COM-2440-12



SI24
Female Insert



PI24
Male Insert



CH24L
Closed Housing 2 x M25



SEH24P
Side Entry Hood M25.

COM-2440-13



SI24
Female Insert



PI24
Male Insert



CH24L
Closed Housing 2 x M25



TEH24P
Top Entry Hood M25.

COM-2440-14



SI24
Female Insert



PI24
Male Insert



CH24LC
Closed Housing 2 x M25 + cover



SEH24P
Side Entry Hood M25.

COM-2440-15



SI24
Female Insert



PI24
Male Insert



CH24LC
Closed Housing 2 x M25 + cover



TEH24P
Top Entry Hood M25.

COM-2440-16



SI24
Female Insert



PI24
Male Insert



COH24L
Coupling Hood x M25



TEH24
Top Entry Hood M25.

COM-2440-17

SCREW CLAMP CONNECTORS

32 PIN - 16 AMPS - 400 VOLTS - SCREW CLAMP CONNECTOR

COMBINATION



SI32
Female Insert



PI32
Male Insert



OH32
Open Housing



SEH32
Side Entry Hood M32.

COM-3240-1



SI32
Female Insert



PI32
Male Insert



OH32
Open Housing



TEH32
Top Entry Hood M32.

COM-3240-2



SI32
Female Insert



PI32
Male Insert



CH32
Closed Housing x M32



SEH32
Side Entry Hood M32.

COM-3240-3



SI32
Female Insert



PI32
Male Insert



CH32
Closed Housing x M32



TEH32
Top Entry Hood M32.

COM-3240-4



SI32
Female Insert



PI32
Male Insert



OH32L
Open Housing



SEH32P
Side Entry Hood M32.

COM-3240-5



SI32
Female Insert



PI32
Male Insert



OH32L
Open Housing



TEH32P
Top Entry Hood M32.

COM-3240-6



SI32
Female Insert



PI32
Male Insert



OH32LC
Open Housing + cover



SEH32P
Side Entry Hood M32

COM-3240-7



SI32
Female Insert



PI32
Male Insert



OH32LC
Open Housing + cover



TEH32P
Top Entry Hood M32.

COM-3240-8



SI32
Female Insert



PI32
Male Insert



CH32L
Closed Housing 2 x M32



SEH32P
Side Entry Hood M32.

COM-3240-9

SCREW CLAMP CONNECTORS

32 PIN - 16 AMPS - 400 VOLTS - SCREW CLAMP CONNECTOR

COMBINATION



SI32
Female Insert



PI32
Male Insert



CH32L
Closed Housing 2 x M32



TEH32P
Top Entry Hood M32.

COM-3240-10



SI32
Female Insert



PI32
Male Insert



CH32LC
Closed Housing 2 x M32 + cover



SEH32P
Side Entry Hood M32.

COM-3240-11



SI32
Female Insert



PI32
Male Insert



CH32LC
Closed Housing 2 x M32 + cover



TEH32P
Top Entry Hood M20.

COM-3240-12

SCREW CLAMP CONNECTORS

48 PIN - 16 AMPS - 400 VOLTS - SCREW CLAMP CONNECTOR

COMBINATION



SI48
Female insert



PI48
Male insert



OH48
Open Housing



SEH48
Side entry hood M40

COM-4840-1



SI48
Female insert



PI48
Male insert



OH48
Open Housing



TEH48
Top entry hood M40

COM-4840-2



SI48
Female insert



PI48
Male insert



OH48C
Open housing & cover



SEH48
Side entry hood M40

COM-4840-3



SI48
Female insert



PI48
Male insert



OH48C
Open housing & cover



TEH48
Top entry hood M40

COM-4840-4



SI48
Female insert



PI48
Male insert



CH48
Closed housing 2 x M32



SEH48
Side entry hood M40

COM-4840-5



SI48
Female insert



PI48
Male insert



CH48
Closed housing 2 x M43



TEH48
top entry hood M40

COM-4840-6



SI48
Female insert



PI48
Male insert



CH48C
Closed housing 2 x M32 + cover



SEH48
Side entry hood M40

COM-4840-7



SI48
Female insert



PI48
Male insert



CH48C
Closed housing 2 x M32 + cover



TEH48
Top entry hood M40

COM-4840-8

SCREW CLAMP CONNECTORS

6 PIN + EARTH 35AMP - 690/400 VOLTS - SCREW CLAMP CONNECTOR

COMBINATION



SI06/35
Female Insert



PI06/35
Male Insert



OH16
Open Housing



SEH16
Side Entry Hood M25.

COM-0635-1



SI06/35
Female Insert



PI06/35
Male Insert



OH16
Open Housing



TEH16
Top Entry Hood M25.

COM-0635-2



SI06/35
Female Insert



PI06/35
Male Insert



OH16C
Open Housing + Cover



SEH16L
Side Entry Hood M25.

COM-0635-3



SI06/35
Female Insert



PI06/35
Male Insert



OH16C
Open Housing + cover



TEH16L
Top Entry Hood M25.

COM-0635-4



SI06/35
Female Insert



PI06/35
Male Insert



CH16
Closed Housing 2 x M25



SEH16
Side Entry Hood M25.

COM-0635-5



SI06/35
Female Insert



PI06/35
Male Insert



CH16
Closed Housing 2 x M25



TEH16
Top Entry Hood M25.

COM-0635-6



SI06/35
Female Insert



PI06/35
Male Insert



CH16C
Closed Housing 2 x M25 + cover



SEH16L
Side Entry Hood M25.

COM-0635-7



SI06/35
Female Insert



PI06/35
Male Insert



CH16C
Closed Housing 2 x M25 + cover



TEH16L
Top Entry Hood M25.

COM-0635-8



SI06/35
Female Insert



PI06/35
Male Insert



OH16L
Open Housing + lever



SEH16P
Side Entry Hood M25.

COM-0635-9

SCREW CLAMP CONNECTORS

6 PIN + EARTH 35AMP - 690/400 VOLTS - SCREW CLAMP CONNECTOR

COMBINATION



SI06/35
Female Insert



PI06/35
Male Insert



OH16L
Open Housing + lever



TEH16P
Top Entry Hood M25.

COM-0635-10



SI06/35
Female Insert



PI06/35
Male Insert



OH16LC
Open Housing, lever + cover



SEH16P
Side Entry Hood M25.

COM-0635-11



SI06/35
Female Insert



PI06/35
Male Insert



OH16LC
Open Housing, lever + cover



TEH16P
Top Entry Hood M25.

COM-0635-12



SI06/35
Female Insert



PI06/35
Male Insert



CH16L
Closed Housing 2 x M25



SEH16P
Side Entry Hood M25.

COM-0635-13



SI06/35
Female Insert



PI06/35
Male Insert



CH16L
Closed Housing 2 x M25



TEH16P
Top Entry Hood M25.

COM-0635-14



SI06/35
Female Insert



PI06/35
Male Insert



CH16LC
Closed Housing 2 x M25 + cover



SEH16P
Side Entry Hood M25.

COM-0635-15



SI06/35
Female Insert



PI06/35
Male Insert



CH16LC
Closed Housing 2 x M25 + cover



TEH16P
Top Entry Hood M25.

COM-0635-16



SI06/35
Female Insert



PI06/35
Male Insert



COH16L
Coupling Hood x M25



TEH16P
Top Entry Hood M25.

COM-0635-17

SCREW CLAMP CONNECTORS

4 PIN + EARTH 80AMP - 690/400 VOLTS - SCREW CLAMP CONNECTOR

COMBINATION



SI04/80
Female Insert



PI04/80
Male Insert



OH16
Open Housing



SEH16
Side Entry Hood M25.

COM-0480-1



SI04/80
Female Insert



PI04/80
Male Insert



OH16
Open Housing



TEH16
Top Entry Hood M25.

COM-0480-2



SI04/80
Female Insert



PI04/80
Male Insert



OH16C
Open Housing + Cover



SEH16L
Side Entry Hood M25.

COM-0480-3



SI04/80
Female Insert



PI04/80
Male Insert



OH16C
Open Housing + cover



TEH16L
Top Entry Hood M25.

COM-0480-4



SI04/80
Female Insert



PI04/80
Male Insert



CH16
Closed Housing 2 x M25



SEH16
Side Entry Hood M25.

COM-0480-5



SI04/80
Female Insert



PI04/80
Male Insert



CH16
Closed Housing 2 x M25



TEH16
Top Entry Hood M25.

COM-0480-6



SI04/80
Female Insert



PI04/80
Male Insert



CH16C
Closed Housing 2 x M25 + cover



SEH16L
Side Entry Hood M25.

COM-0480-7



SI04/80
Female Insert



PI04/80
Male Insert



CH16C
Closed Housing 2 x M25 + cover



TEH16L
Top Entry Hood M25.

COM-0480-8



SI04/80
Female Insert



PI04/80
Male Insert



OH16L
Open Housing + lever



SEH16P
Side Entry Hood M25.

COM-0480-9

SCREW CLAMP CONNECTORS

4 PIN + EARTH 80AMP - 690/400 VOLTS - SCREW CLAMP CONNECTOR

COMBINATION



SI04/80
Female Insert



PI04/80
Male Insert



OH16L
Open Housing + lever



TEH16P
Top Entry Hood M25.

COM-0480-10



SI04/80
Female Insert



PI04/80
Male Insert



OH16LC
Open Housing, lever + cover



SEH16P
Side Entry Hood M25.

COM-0480-11



SI04/80
Female Insert



PI04/80
Male Insert



OH16LC
Open Housing, lever + cover



TEH16P
Top Entry Hood M25.

COM-0480-12



SI04/80
Female Insert



PI04/80
Male Insert



CH16L
Closed Housing 2 x M25



SEH16P
Side Entry Hood M25.

COM-0480-13



SI04/80
Female Insert



PI04/80
Male Insert



CH16L
Closed Housing 2 x M25



TEH16P
Top Entry Hood M25.

COM-0480-14



SI04/80
Female Insert



PI04/80
Male Insert



CH16LC
Closed Housing 2 x M25 + cover



SEH16P
Side Entry Hood M25.

COM-0480-15



SI04/80
Female Insert



PI04/80
Male Insert



CH16LC
Closed Housing 2 x M25 + cover



TEH16P
Top Entry Hood M25.

COM-0480-16



SI04/80
Female Insert



PI04/80
Male Insert



COH16L
Coupling Hood x M25



TEH16P
Top Entry Hood M25.

COM-0480-17



PART NO	Description	Clamping Range
CG12	Nylon Gland M12	2.0- 6.0mm
CG16	Nylon Gland M16	5.0-10.0mm
CG20	Nylon Gland M20	10.0-14.0mm
CG25	Nylon Gland M25	13.0-18.0mm
CG32	Nylon Gland M32	18.0-25.0mm
CG40	Nylon Gland M40	22.0-32.0mm
CG50	Nylon Gland M50	30.0-38.0mm
CG63	Nylon Gland M63	34.0-44.0mm



BCG16	Brass Gland M16	4.0-8.0mm
BCG20	Brass Gland M20	6.0-12.0mm
BCG25	Brass Gland M25	10.0-14.0mm
BCG32	Brass Gland M32	13.0-18.0mm
BCG40	Brass Gland M40	18.0-25.0mm
BCG50	Brass Gland M50	22.0-32.0mm
BCG63	Brass Gland M63	34.0-44.0mm



M16-M20TA	M16 outer x M20 inner
M20-M16TA	M20 outer x M16 inner
M20-M25TA	M20 outer x M25 inner
M25-M16TA	M25 outer x M16 inner
M25-M20TA	M25 outer x M20 inner
M25-M32TA	M25 outer x M32 inner
M32-M20TA	M32 outer x M20 inner
M32-M25TA	M32 outer x M25 inner
M32-M40TA	M32 outer x M40 inner
M40-M25TA	M40 outer x M25 inner
M40-M32TA	M40 outer x M32 inner



DISTRIBUTED BY:



ELTECH INDUSTRIES
PO BOX 84 LILYDALE VIC 3140
8 INDUSTRY COURT LILYDALE VIC 3140
PH: (03) 9735 2788
FAX: (03) 9735 4588
TOLL FREE: 1800 007 458
EMAIL: sales@eltechindustries.com.au