



KTR88-225-18-102-B
QTY. 3 MTR88

Cable Management & Panel Accessories



Contents	
Cable Management	
Spiral Binding	3
Split Loom Tube.	3
Label Pins/I.PA Studs	3
P-Clips - Nylon.	4
P-Clips - Metal Rubber.	4
Galvanised Saddles	4
Cable Ties	5
Cable Tie Accessories	5
Cable Ties - Stainless Steel.	6
Heatshrink	7
Heatshrink Green/Yellow	8
Heatshrink Adhesive Lined.	8
Tapes	8
Heatshrink Tubing Selection	9
Panel Accessories	
Mounting Rails	10
Standard Slotted Duct.	10
Narrow Slotted Duct	11
Mounting Accessories	11
'Transcab' Narrow Slotted Duct	12
Insulators	13
Earth & Neutral Bars / 165A.	13
Cable Glands & Lock Nuts	14
Hole Plugs & Bushes	16
Screw Bushes & Stops.	17
Thread Converters	17
Change PG to Metric	18

NOTE: © Copyright Eltech Industries - 2008.

This publication is copyright. Other than for the purposes of and subject to the conditions prescribed under the copyright act, no part of it may in any form or by any means be reproduced, stored in a retrieval system or transmitted without prior written permission of Eltech Industries.



Spiral Binding


Part No.	Description	Pack Qty
SB4	Bundle Size 4-10mm	100M
SB6	Bundle Size 6-12mm	50M
SB9	Bundle Size 9-20mm	25M
SB12	Bundle Size 12-20mm	25M
SB15	Bundle Size 15-35mm	20M
SB20	Bundle Size 20-100mm	15M



For Black: Place BLK after Part No. e.g. SB20BLK

Split Loom Tube

Part No.	Description	Pack Qty
LT7/25	7mm ID x 10mm OD	25M
LT7/100	7mm ID x 10mm OD	100M
LT10/25	10mm ID x 14mm OD	25M
LT10/100	10mm ID x 14mm OD	100M
LT13/25	13mm ID x 17mm OD	25M
LT13/100	13mm ID x 17mm OD	100M
LT16/25	16mm ID x 20mm OD	25M
LT16/100	16mm ID x 20mm OD	100M
LT20/25	20mm ID x 24mm OD	25M
LT20/100	20mm ID x 24mm OD	100M
LT25/25	23mm ID x 27mm OD	25M
LT25/50	23mm ID x 27mm OD	50M
LT30/25	29mm ID x 34mm OD	25M
LT30/50	29mm ID x 34mm OD	50M
LT36/25	36mm ID x 40mm OD	25M
LT48/25	48mm ID x 52mm OD	25M



Label Pins / I.P.A Studs

Part No.	Description	Pack Qty
LPW	Label Pin White	200
LPB	Label Pin Black	200
IPA	I.P.A Studs	50



P-Clips Nylon



PC9

Part No.	Description	Pack Qty
PC3	Bundle Dia 3.0mm	100
PC3B	Bundle Dia 3.0mm BLK	100
PC5	Bundle Dia 4.8mm	100
PC5B	Bundle Dia 4.8mm BLK	100
PC6	Bundle Dia 6.3mm	100
PC6B	Bundle Dia 6.3mm BLK	100
PC8	Bundle Dia 7.9mm	100
PC8B	Bundle Dia 7.9mm BLK	100
PC9	Bundle Dia 9.5mm	100
PC9B	Bundle Dia 9.5mm BLK	100
PC12	Bundle Dia 12.7mm	50
PC12B	Bundle Dia 12.7mm BLK	50
PC16B	Bundle Dia 15.8mm BLK	50
PC20B	Bundle Dia 19.4mm BLK	25
PC25B	Bundle Dia 25.4mm BLK	25

P-Clips Metal Rubber



PCM20

Part No.	Description	Pack Qty
PCM10	Bundle Dia 10.0mm	10
PCM12	Bundle Dia 12.0mm	10
PCM16	Bundle Dia 16.0mm	10
PCM20	Bundle Dia 20.0mm	10
PCM25	Bundle Dia 25.0mm	10
PCM32	Bundle Dia 32.0mm	10
PCM40	Bundle Dia 40.0mm	10

PCM P Clips are metal with a rubber insert to protect cables.

Galvanised Saddles



GSH25

Part No.	Description	Pack Qty
GSF20	Galvanised Saddle Full 20mm	100
GSF25	Galvanised Saddle Full 25mm	100
GSF32	Galvanised Saddle Full 32mm	60
GSF40	Galvanised Saddle Full 40mm	45
GSF50	Galvanised Saddle Full 50mm	20
GSH16	Galvanised Saddle Half 16mm	100
GSH20	Galvanised Saddle Half 20mm	100
GSH25	Galvanised Saddle Half 25mm	100
GSH32	Galvanised Saddle Half 32mm	60
GSH40	Galvanised Saddle Half 40mm	45
GSH50	Galvanised Saddle Half 50mm	20

Zinc Plated. Fixing Hole - 5mm

Cable Ties

Part No.	Description	Pack Qty
ACT100M	100 x 2.5mm Natural	100
ACT100MUV	100 x 2.5mm Black	100
ACT200M	200 x 2.5mm Natural	100
ACT200MUV	200 x 2.5mm Black	100
ACT140I	140 x 3.6mm Natural	100
ACT140IUV	140 x 3.6mm Black	100
ACT190ST	190 x 4.8mm Natural	100
ACT190STUV	190 x 4.8mm Black	100
ACT300ST	300 x 4.8mm Natural	100
ACT300STUV	300 x 4.8mm Black	100
ACT370ST	370 x 4.8mm Natural	100
ACT370STUV	370 x 4.8mm Black	100
ACT200HD	200 x 7.6mm Natural	100
ACT200HDUV	200 x 7.6mm Black	100
ACT300HD	300 x 7.6mm Natural	100
ACT300HDUV	300 x 7.6mm Black	100
ACT370HD	370 x 7.6mm Natural	100
ACT370HDUV	370 x 7.6mm Black	100

Other Sizes Available - please enquire



ACT200MUV

ACT300ST

Cable Tie Accessories

Part No.	Description	Pack Qty
10029	Adhesive Mount 19x19mm	100
10029B	Adhesive Mount 19x19mm BLK	100
10030	Adhesive Mount 25x25mm	100
10030B	Adhesive Mount 25x25mm BLK	100
10044	Screw Down Mount 15x10xM3	100
10044B	Screw Down Mount 15x10xM3BLK	100
10046	Screw Down Mount 22x16xM6	100
10046B	Screw Down Mount 22x16xM6BLK	100
10048	Eyelet Mount 10x9.5mm	100



10030B



10046

Cable Ties - Stainless Steel



SCT200



SCT360HD

Part No.	Description	Pack Qty
SCT200	200 x 4.6 304 S/S	100
SCT360	360 x 4.6 304 S/S	100
SCT520	520 x 4.6 304 S/S	100
SCT200HD	200 x 7.9 304 S/S	50
SCT360HD	360 x 7.9 304 S/S	50
SCT520HD	520 x 7.9 304 S/S	50
SCT680HD	680 x 7.9 304 S/S	50
SCT840HD	840 x 7.9 304 S/S	50
SCT1200HD	1200 x 7.9 304 S/S	50
SCT200/316	200 x 4.6 316 S/S	100
SCT360/316	360 x 4.6 316 S/S	100
SCT520/316	520 x 4.6 316 S/S	100
SCT680/316	680 x 4.6 316 S/S	100
SCT200-HD/316	200 x 7.9 316 S/S	50
SCT360-HD/316	360 x 7.9 316 S/S	50
SCT520-HD/316	520 x 7.9 316 S/S	50
SCT680-HD/316	680 x 7.9 316 S/S	50
SCT840-HD/316	840 x 7.9 316 S/S	50
SCT1000-HD/316	1000 x 7.9 316 S/S	50
SCTC200/316	200 x 4.6 316 S/S Nylon Coated	100
SCTC360/316	360 x 4.6 316 S/S Nylon Coated	100
SCTC200/HD316	200 x 7.9 316 S/S Nylon Coated	100
SCTC360/HD316	360 x 7.9 316 S/S Nylon Coated	100
SSTD	Low Cost S/S Tie Tensioner	1
SSTT2	Robust S/S Tie Tensioner & Cutter	1



SSTD



SSTT2

Heatshrink

Part No.	Description	Pack Qty
HSB1.5	1.5mm Dia in Box of 20M	1
HSB2.0	2.0mm Dia in Box of 20M	1
HSB3.0	3.0mm Dia in Box of 20M	1
HSB4.5	4.5mm Dia in Box of 10M	1
HSB6.0	6.0mm Dia in Box of 10M	1
HSB9.0	9.0mm Dia in Box of 10M	1
HSB12.0	12.0mm Dia in Box of 10M	1
HSB18.0	18.0mm Dia in Box of 5M	1
HSB25.0	25.0mm Dia in Box of 5M	1


Colours Available: Red, White, Blue, Black.



HSB18.0

Pre-Shrunk

Part No.	Description	Pack Qty
TWHS1.2MT	1.2mm Dia Pre Shrunk	200M
TWHS1.2LTH	1.2mm Dia Pre Shrunk	1.2M
TWHS1.6MT	1.6mm Dia Pre Shrunk	200M
TWHS1.6LTH	1.6mm Dia Pre Shrunk	1.2M
TWHS2.4MT	2.4mm Dia Pre Shrunk	200M
TWHS2.4LTH	2.4mm Dia Pre Shrunk	1.2M
TWHS3.2MT	3.2mm Dia Pre Shrunk	200M
TWHS3.2LTH	3.2mm Dia Pre Shrunk	1.2M
TWHS4.8MT	4.8mm Dia Pre Shrunk	100M
TWHS4.8LTH	4.8mm Dia Pre Shrunk	1.2M
TWHS6.4MT	6.4mm Dia Pre Shrunk	50M
TWHS6.4LTH	6.4mm Dia Pre Shrunk	1.2M
TWHS9.5MT	9.5mm Dia Pre Shrunk	50M
TWHS9.5LTH	9.5mm Dia Pre Shrunk	1.2M
TWHS12.7MT	12.7mm Dia Pre Shrunk	50M
TWHS12.7LTH	12.7mm Dia Pre Shrunk	1.2M
TWHS19.1MT	19.1mm Dia Pre Shrunk	50M
TWHS19.1LTH	19.1mm Dia Pre Shrunk	1.2M
TWHS25.4MT	25.4mm Dia Pre Shrunk	50M
TWHS25.4LTH	25.4mm Dia Pre Shrunk	1.2M
TWHS38.1MT	38.1mm Dia Pre Shrunk	25M
TWHS38.1LTH	38.1mm Dia Pre Shrunk	1.2M
TWHS50.8MT	50.8mm Dia Pre Shrunk	25M
TWHS50.8LTH	50.8mm Dia Pre Shrunk	1.2M
TWHS76.2MT	76.2mm Dia Pre Shrunk	25M
TWHS101.6	101.6mm Dia Pre Shrunk	25M



Heatshrink Green/Yellow



DCPT12

Part No.	Description	Pack Qty
DCPT3	3.0mm Dia Pre Shrunk G/Y	1.2M
DCPT6	6.0mm Dia Pre Shrunk G/Y	1.2M
DCPT8	8.0mm Dia Pre Shrunk G/Y	1.2M
DCPT10	10.0mm Dia Pre Shrunk G/Y	1.2M
DCPT12	12.0mm Dia Pre Shrunk G/Y	1.2M
DCPT19	19.0mm Dia Pre Shrunk G/Y	1.2M
DCPT26	26.0mm Dia Pre Shrunk G/Y	1.2M
DCPT38	38.0mm Dia Pre Shrunk G/Y	1.2M

Heatshrink Adhesive Lines



ATUM12/4

Part No.	Description	Pack Qty
ATUM3/1	3.0mm-1.0mm Dia	1.2M
ATUM6/2	6.0mm-2.0mm Dia	1.2M
ATUM9/3	9.0mm-3.0mm Dia	1.2M
ATUM12/4	12.0mm-4.0mm Dia	1.2M
ATUM19/6	19.0mm-6.0mm Dia	1.2M
ATUM24/8	24.0mm-8.0mm Dia	1.2M
ATUM40/13	40.0mm-13.0mm Dia	1.2M

Tapes



NIT1920

Part No.	Description	Pack Qty
NIT1920	Insulation Tape 19mm x 20M	1
DST12	Double Sided 12mm x 10M	1
DST18	Double Sided 18mm x 10M	1
DST24	Double Sided 24mm x 10M	1
NIT15	Self Amalgamating 10M	1
Cloth	Cloth Tape 50mmW x 50M	1

Cloth Tape Colours: Red, Blue, Black, White, Green/Yellow.

Heatshrink Tubing Selection

The charts below are useful for selection of heatshrink. The 'lay flat' dimension of heatshrink is commonly used with large diameter heatshrink tubes, where the heatshrink is measured flattened out, and the flat dimension is measured. The table below is used to convert this into a diameter. The bus bar table is useful to work out heatshrink requirements for bus bars. It is important to allow for bends, and use one size up if the bar has many bends. This makes it easier to get the heatshrink onto the bar.

Bus Bars Heatshrink Selection

Bus Bar Recommended Heatshrink for Bus Bar Width (mm)									
Thickness (mm)	12	19	25	38	51	76	102	125	152
3.2	TWHS13	TWHS20	TWHS25	TWHS38	TWHS51	TWHS76	TWHS102	TWHS102	TWHS125
4.8	TWHS13	TWHS20	TWHS25	TWHS38	TWHS51	TWHS76	TWHS102	TWHS102	TWHS125
6.4		TWHS20	TWHS25	TWHS38	TWHS51	TWHS76	TWHS102	TWHS102	TWHS125
9.5				TWHS38	TWHS51	TWHS76	TWHS102	TWHS102	TWHS125
12.7					TWHS51	TWHS76	TWHS102	TWHS102	TWHS125

Note: If bar has bends you may have to use a larger diameter heatshrink


Lay Flat to Circular

Heatshrink International Conversion to Lay Flat Dimension	
Internal Diameter (mm)	Lay Flat (mm)
5	8
7	11
10	16
13	20
16	25
20	31
25	39
32	50
38	60
51	80
76	120
102	160
125	196

Metric vs. Imperial

Metric (mm)	Imperial (inch)
1.6	1/16
3.2	1/8
4.8	3/16
6.4	1/4
8.0	5/16
9.5	3/8
12.7	1/2

Mounting Rails



Part No.	Description	Qty
AUSR35/7.5	35 x 7.5mm Plain	20L
AUSR35/7.5S	35 x 7.5mm Slotted	20L
AUSR35/7.5AL	35 x 7.5mm Aluminium Plain	20L
AUSR35/7.5ALS	35 x 7.5mm Aluminium Slotted	20L
AUSR35/15	35 x 15mm Plain	10L
AUSR35/15S	35 x 15mm Slotted	10L
AUSR32/G	32mm 'G' Plain	10L
AUSR32/GS	32mm 'G' Slotted	10L

*All Rail in 2 metre lengths

Standard Slotted Duct



Part No.	Description	Qty
OS2530	Open Slot 25W x 30H	12L
OS2560	Open Slot 25W x 60H	12L
*OS2580	Open Slot 25W x 80H	12L
OS4040	Open Slot 40W x 40H	12L
OS4060	Open Slot 40W x 60H	12L
OS4080	Open Slot 40W x 80H	12L
OS6060	Open Slot 60W x 60H	12L
OS6080	Open Slot 60W x 80H	12L
OS8040	Open Slot 80W x 40H	12L
OS8060	Open Slot 80W x 60H	8L
OS8080	Open Slot 80W x 80H	8L
*OS10080	Open Slot 100W x 80H	6L
OS100100	Open Slot 100W x 100H	6L

Also available in Closed Slotted Duct. To order change Part No. to CS...

TS25LD	Lid Only 25mmW	1L
TS40LD	Lid Only 40mmW	1L
TS60LD	Lid Only 60mmW	1L
TS80LD	Lid Only 80mmW	1L
TS100LD	Lid Only 100mmW	1L

For Black add BLK after part No. eg: OS100100BLK

All Duct in 2 Metre Lengths

* Not Available in BLK.

Narrow Slotted Duct

Part No.	Description	Qty
636095	Narrow Slot 15W x 25H	8
636100	Narrow Slot 25W x 25H	30
636096	Narrow Slot 15W x 40H	20
636101	Narrow Slot 25W x 40H	28
636106	Narrow Slot 40W x 40H	24
636111	Narrow Slot 60W x 40H	16
636116	Narrow Slot 80W x 40H	12
636119	Narrow Slot 100W x 40H	12
636102	Narrow Slot 25W x 60H	28
636107	Narrow Slot 40W x 60H	24
636112	Narrow Slot 60W x 60H	16
636116	Narrow Slot 80W x 60H	12
636120	Narrow Slot 100W x 60H	12
636124	Narrow Slot 120W x 60H	8
636103	Narrow Slot 25W x 80H	20
636108	Narrow Slot 40W x 80H	20
636113	Narrow Slot 60W x 80H	16
636117	Narrow Slot 80W x 80H	12
636121	Narrow Slot 100W x 80H	8
636125	Narrow Slot 120W x 80H	8
636109	Narrow Slot 40W x 100H	12
636114	Narrow Slot 60W x 100H	12
636118	Narrow Slot 80W x 100H	10
636122	Narrow Slot 100W x 100H	8
636123	Narrow Slot 150W x 100H	6



636117

Duct has 6.5mm wide fingers with a 6mm spacing.

Mounting Accessories

Part No.	Description	Qty
SDS12	Washer Head Screw 12mm x 8G	1000
SDS25	Washer Head Screw 25mm x 8G	1000





SDS12

1201099	30° Angle Bracket & Screw	1
---------	---------------------------	---




1201099




'Transcab' Narrow Slotted Duct




Dimensions



Detail of base perforations



'T' junctions made easy



Remove reinforcement bars at required length and break.

1. Clip out the required section width reinforcement bars and snap out section
2. Form tee section and fix into place
3. Ready for wiring - cut cover to suit

Insulators


Part No.	Description	Qty
RNC25/M6	25mmH x M6	1
RNC35/	35mmH x M8,M10	1
RNC38/	38mmH x M8,M10	1
RNC45/	45mmH x M8,M10	1
RNC50/	50mmH x M8,M10	1
RNC50/M12	50mmH x M12	1
RNC63/	63mmH x M8,M10	1
RNC63/M12	63mmH x M12	1
RNC75/	75mmH x M8,M10	1
RNC75/M12	75mmH x M12	1
RNC25/M5S	25mmH x M5 Straight	1
RNC50S/	50mmH x M8,M10 Straight	1
RNC63/M10S	63mmH x M10 Straight	1
RNC75/M10S	75mmH x M10 Straight	1



RNC25/M6 & RNC50

Earth & Neutral Bars/165A

Part No.	Description	Qty
EB6	Earth Bar 6 way	1
NB6	Neutral Bar 6 way	1
EB12	Earth Bar 12 way	1
NB12	Neutral Bar 12 way	1
EB18	Earth Bar 18 way	1
NB18	Neutral Bar 18 way	1
EB24	Earth Bar 24 way	1
NB24	Neutral Bar 24 way	1
EB30	Earth Bar 30 way	1
NB30	Neutral Bar 30 way	1
EB36	Earth Bar 36 way	1
NB36	Neutral Bar 36 way	1
EB42	Earth Bar 42 way	1
NB42	Neutral Bar 42 way	1
EB48	Earth Bar 48 way	1
NB48	Neutral Bar 48 way	1
EB54	Earth Bar 54 way	1
NB54	Neutral Bar 54 way	1
EB60	Earth Bar 60 way	1
NB60	Neutral Bar 60 way	1
EB72	Earth Bar 72 way	1
NB72	Neutral Bar 72 way	1
EB78	Earth Bar 78 way	1
NB78	Neutral Bar 78 way	1
EB84	Earth Bar 84 way	1
NB84	Neutral Bar 84 way	1
EB96	Earth Bar 96 way	1
NB96	Neutral Bar 96 way	1
FEET	Insulation Feet and Screw	1



EB18 & NB6



*For special numbering, please add 15% to price

* Price of neutral bar includes feet.

Cable Glands/Nylon (Lock nuts not included - see below)



CG20

Part No.	Description	Qty
CG12	12mm Gland Suit Cable 3 - 6.5mm Dia	100
CG16	16mm Gland Suit Cable 5 - 10mm Dia	50
CG20	20mm Gland Suit Cable 10 - 14mm Dia	40
CG25	25mm Gland Suit Cable 13 - 18mm Dia	20
CG32	32mm Gland Suit Cable 18 - 25mm Dia	15
CG40	40mm Gland Suit Cable 22 - 32mm Dia	6
CG50	50mm Gland Suit Cable 30 - 38mm Dia	3
CG63	63mm Gland Suit Cable 34 - 44mm Dia	2

Cable Glands/Brass (Lock nuts not included - see below)



BCG32

Part No.	Description	Qty
BCG12	12mm Gland Suit Cable 3 - 6.5mm Dia	20
BCG16	16mm Gland Suit Cable 5 - 10mm Dia	20
BCG20	20mm Gland Suit Cable 8 - 13mm Dia	20
BCG25	25mm Gland Suit Cable 11 - 17mm Dia	10
BCG32	32mm Gland Suit Cable 15 - 21mm Dia	5
BCG40 4	0mm Gland Suit Cable 19 - 28mm Dia	3
BCG50	50mm Gland Suit Cable 36 - 35mm Dia	1
BCG63	63mm Gland Suit Cable 32 - 42mm Dia	1

Cable Glands/EMC (Lock nuts not included - see below)



EMCG25

Part No.	Description	Qty
EMCG12	12mm Suit Cable 3 - 6.5mm Dia	100
EMCG16	16mm Suit Cable 5 - 10mm Dia	100
EMCG20	20mm Suit Cable 6 - 12mm Dia	50
EMCG25	25mm Suit Cable 11 - 17mm Dia	25
EMCG32	32mm Suit Cable 13 - 18mm Dia	25
EMCG40	40mm Suit Cable 19 - 28mm Dia	25
EMCG50	50mm Suit Cable 22 - 32mm Dia	10
EMCG63	63mm Suit Cable 34 - 44mm Dia	1

Lock Nuts



LN25



EMCLN25

Part No.	Description	Qty
LN12	Lock Nut M12 Brass	50
LN16	Lock Nut M16 Brass	50
LN20	Lock Nut M20 Brass	50
LN25	Lock Nut M25 Brass	50
LN32	Lock Nut M32 Brass	25
LN40	Lock Nut M40 Brass	10
LN50	Lock Nut M50 Brass	5
LN63	Lock Nut M63 Brass	2
EMCLN12	EMC Lock Nut M12 Brass	50
EMCLN16	EMC Lock Nut M16 Brass	50
EMCLN20	EMC Lock Nut M20 Brass	50
EMCLN25	EMC Lock Nut M25 Brass	50
EMCLN32	EMC Lock Nut M32 Brass	20
EMCLN40	EMC Lock Nut M40 Brass	10
EMCLN50	EMC Lock Nut M50 Brass	2
EMCLN63	EMC Lock Nut M63 Brass	1

Cable Glands/Flat Brass (Lock nuts not included - see page 14)

Part No.	Description	Width	Thickness	Qty
BFG20	M20 Gland	13 - 15	4 - 5.5	1
BFG25/S	M25 Gland	13 - 15	4 - 5.5	1
BFG25/L	M25 Gland	14 - 20	5 - 7.5	1
BFG32	M32 Gland	19 - 24	5 - 10	1
BFG40/S	M40 Gland	19 - 30	5 - 10	1
BFG40/L	M40 Gland	29 - 39	5 - 13	1
BFG50/S	M50 Gland	29 - 39	5 - 13	1
BFG50/L	M50 Gland	38 - 44	5 - 14	1
BFG63	M63 Gland	44 - 52	5 - 18	1



BFG32

PG Cable Glands/Nylon (Lock nuts not included - see below)

Part No.	Description	Qty
CG7PG	PG7 Suit Cable 2.5-6.5 Black	100
CG9PG	PG9 Suit Cable 3.5-8 Black	100
CG11PG	PG11 Suit Cable 4-10 Black	100
CG13PG	PG13.5 Suit Cable 6-12 Black	100
CG16PG	PG16 Suit Cable 9-14 Black	100
CG21PG	PG21 Suit Cable 13-18 Black	100
CG29PG	PG29 Suit Cable 14-25 Black	100
CG36PG	PG36 Suit Cable 24-32 Black	100



CG16PG

Lock Nuts

Part No.	Description	Qty
LN7	PG7 Lock Nut Black	100
LN9	PG9 Lock Nut Black	100
LN11	PG11 Lock Nut Black	100
LN13	PG13.5 Lock Nut Black	100
LN16	PG16 Lock Nut Black	50
LN21	PG21 Lock Nut Black	50
LN29	PG29 Lock Nut Black	50
LN16	M16 Lock Nut Black	100
LN20	M20 Lock Nut Black	100
LN25	M25 Lock Nut Black	100



Hole Plugs & Bushes



2131



2144

Part No.	Description	Qty
2590	Hole Plug suits hole 4.7ø	100
2603	Hole Plug suits hole 6.4ø	100
2613	Hole Plug suits hole 7.9ø	100
2617	Hole Plug suits hole 9.5ø	100
2633	Hole Plug suits hole 11.1ø	100
2643	Hole Plug suits hole 12.7ø	100
2653	Hole Plug suits hole 14.3ø	100
2128	Hole Plug suits hole 16.0ø	100
2131	Hole Plug suits hole 20.0ø	100
2703	Hole Plug suits hole 22.2ø	100
2133	Hole Plug suits hole 25.0ø	100
2713	Hole Plug suits hole 25.4ø	100
2135	Hole Plug suits hole 32.0ø	100
2753	Hole Plug suits hole 34.9ø	100
2763	Hole Plug suits hole 38.1ø	100
2773	Hole Plug suits hole 44.5ø	100
2783	Hole Plug suits hole 50.8ø	100
2000	Snap Bush suits hole 6.4ø	100
2010	Snap Bush suits hole 7.9ø	100
2030	Snap Bush suits hole 9.5ø	100
2042	Snap Bush suits hole 11.1ø	100
2053	Snap Bush suits hole 12.7ø	100
2066	Snap Bush suits hole 14.3ø	100
2142	Snap Bush suits hole 16.0ø	100
2144	Snap Bush suits hole 20.0ø	100
2146	Snap Bush suits hole 25.0ø	100
2148	Snap Bush suits hole 32.0ø	100
2210	Snap Bush suits hole 34.9ø	100
2240	Snap Bush suits hole 38.1ø	100
2300	Snap Bush suits hole 44.5ø	100
2406	Snap Bush suits hole 50.8ø	100
GS2.0	Grommet Strip suits panel 2.0mm	100M

**All items are only available in pack quantities.*

Screw Bushes & Stops

Part No.	Description	Qty
VM16	16mm Screw Bush MALE	50
VM20	20mm Screw Bush MALE	50
VM25	25mm Screw Bush MALE	50
VM32	32mm Screw Bush MALE	25
VM40	40mm Screw Bush MALE	25
VM50	50mm Screw Bush MALE	10
VF16	16mm Screw Bush FEMALE	50
VF20	20mm Screw Bush FEMALE	50
VF25	25mm Screw Bush FEMALE	50
VF32	32mm Screw Bush FEMALE	25
VF40	40mm Screw Bush FEMALE	25
VF50	50mm Screw Bush FEMALE	10
VST16	16mm Screw Conduit Stop	50
VST20	20mm Screw Conduit Stop	50
VST25	25mm Screw Conduit Stop	50
VST32	32mm Screw Conduit Stop	25
VST40	40mm Screw Conduit Stop	25
VST50	50mm Screw Conduit Stop	10



Brass Thread Converters

Part No.	Description	Male	Female	Qty
M16-PG7TC	Thread Converter	M16	PG7	10
M16-PG9TC	Thread Converter	M20	PG9	10
M20-PG13TC	Thread Converter	M20	PG13.5	10
M25-PG21TC	Thread Converter	M25	PG21	10
PG7-M16TC	Thread Converter	PG7	M16	10
PG9-M16TC	Thread Converter	PG9	M16	10
PG9-M20TC	Thread Converter	PG9	M20	10
PG11-M16TC	Thread Converter	PG11	M16	10
PG11-M20TC	Thread Converter	PG11	M20	10
PG13-M16TC	Thread Converter	PG13	M16	10
PG13-M20TC	Thread Converter	PG13	M20	10
PG16-M16TC	Thread Converter	PG16	M16	10
PG16-M20TC	Thread Converter	PG16	M20	10
PG21-M20TC	Thread Converter	PG21	M20	10
PG21-M25TC	Thread Converter	PG21	M25	10
PG21-M32TC	Thread Converter	PG21	M32	10



M20-PG13TC



PG16-M16TC

Change PG to Metric

Comparison and classification of cable glands: connection PG/metric

PG-Thread	PG7	PG9	PG11	PG16	PG21	PG29	PG36	PG42	PG48	
	PG13.5									
Installation drill hole Ø (mm)	13	15.7	19	21	23	28.8	37.5	47.5	54.5	59.8
Installation drill hole Ø (mm)	12.5	16.5	20.5	25.5	32.5	40.5	50.5		63.5	
Metric Thread	M12x1.5	M16x1.5	M20x1.5	M25x1.5	M32x1.5	M40x1.5	M50x1.5		M63x1.5	

Comparison and classification of cable glands: spanner size PG/metric

PG-Thread	PG7	PG9	PG11	PG16	PG21	PG29	PG36	PG42	PG48	
	PG13.5									
Wrench Size Hexagonal (mm)	15	19	22	24	27	33	42	53	60	65
Wrench Size Hexagonal (mm)	15	19	25		30	36	46	55	66	
Metric Thread	M12x1.5	M16x1.5	M20x1.5	M25x1.5	M32x1.5	M40x1.5	M50x1.5		M63x1.5	



Distributed by:



Phone: 1800 007 458
Fax: 1300 885 122
e-mail: sales@eltechindustries.com.au